Construction of crepe weaves upon sateen base

Take a sateen weave and then create a crepe weave.

Crate sateen weave will provide the base for crepe weave.

(To construct a sateen weave click here.)

i.e. - 8X8 sateen weave with Move no.- 3

| 8 | | | | | | X | | |
|---|---|---|---|---|---|---|---|---|
| 7 | | | x | | | | | |
| 6 | | | | | | | | x |
| 5 | | | | | x | | | |
| 4 | | x | | | | | | |
| 3 | | | | | | | x | |
| 2 | | | | x | | | | |
| 1 | x | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |

8X8 Sateen weave

To complete crepe weave, take suitable interlacement in design.

i.e. - 2/1, 3/2 on the base of the sateen weave.


Make that warp or weft floats on the base of the sateen mark.

Another method is that select a perfect motif and then place that motif on each sateen mark.

It has always been a straight draft.

| 8 | | X | X | | | X | | X |
|---|---|---|---|---|---|---|---|---|
| 7 | | | X | | X | | X | X |
| 6 | | x | | x | x | | | X |
| 5 | X | X | | | X | | X | |
| 4 | | X | | x | | X | X | |
| 3 | X | | X | x | | | X | |
| 2 | X | | 8 | X | | X | | X |
| 1 | X | | X | | x | X | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |

8X8 Crepe weave



Construction of crepe weaves upon sateen base

In this method, irregular sateen or any other weave design is combined with plain weave threads.

To construct this, take plain weave threads.,

taking place in either skipped manner or alternate manner in the way, that creates a gap between each end and picks.

i.e. - Take 8X8 Plain weave and skip it from alternate ends and picks.

| 8 | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7 | x | | x | | х | | х | |
| 6 | | | | | | | | |
| 5 | x | | х | | х | | х | |
| 4 | | | | | | | | |
| 3 | x | | x | | x | | x | |
| 2 | | | | | | | | |
| 1 | x | | х | | x | | x | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |

Chose any other weave that will be going to fix between plain threads.

Like irregular sateen.

i.e. - 2X2 irregular sateen weave with a move no. 2

| 4 | | | x | |
|---|---|---|---|---|
| 3 | | | | x |
| 2 | | x | | |
| 1 | x | | | |
| | 1 | 2 | 3 | 4 |

Crepe weave can be constructed mainly by following four methods.

- 1. Construction of crepe weaves upon sateen base
- 2. Combination of a floating weave with plain threads
- 3. By reversing a small motif
- 4. Insertion of one weave over another



Crepe weave

Construction of crepe weaves upon sateen base

Take a sateen weave and then create a crepe weave.

Crate sateen weave will provide the base for crepe weave.

(To construct a sateen weave click here.)

i.e. - 8X8 sateen weave with Move no.- 3